

according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Blutoxol

UFI: H940-G08W-700G-WJ1N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional disinfection

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG

Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-0 Telefax: +49 8134 6466

e-mail: info@kiehl-group.com Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169

Tel. +43 (0) 1 / 604 99 93 KIEHL Austria GmbH A-1230 Wien Perfektastr. 57; F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL FRANCE S.A.R.L. 5. rue de Londres: I-16036 Recco (GE) KIEHL Italia s.r.l. Via San Rocco, 101; Tel. +39 / 0185 730 008 St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Schweiz AG KIEHL Hungary Kft. Felsőipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 A8-LIU 48/49 - KIZAD Tel. +971 2 550 33 96 KIEHL Middle East LLC Abu Dhabi, U.A.E.

1.4. Emergency telephone

number:

+49/89/19240 (germanophone and anglophone)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Potassium silicate / Benzalkonium chloride

Signal word: Danger



according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 2 of 9

Pictograms:





Hazard statements

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, organic salts, inorganic salts, biocides, dyes

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
	931-138-8				
	Acute Tox. 4, Eye Dam. 1; H302 H				
7173-51-5	didecyldimethylammonium chloride				
	230-525-2	612-131-00-6			
	Acute Tox. 4, Skin Corr. 1B, Eye D H400 H411	onic 2; H302 H314 H318			
1312-76-1	Potassium silicate		1 - < 5 %		
	215-199-1		01-2119456888-17		
	Met. Corr. 1, Skin Corr. 1B; H290 H314				
68391-01-5	C12-C18-Dimethylbenzyl ammonium chloride				
	269-919-4				
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation





according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 3 of 9

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible).

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water.

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the application area.

Wash hands after handling.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.



according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 4 of 9

Do not store near acids.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

Protect from frost. Keep away from direct sunlight.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Not required.

Protective and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Use protective skin cream before handling the product.

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light red
Odour: characteristic

Test method

pH-Value (at 20 °C): approx. 13,0 K-QP1012C

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Plash point:

>0 °C

>98 °C

>98 °C

not applicable

not applicable

not applicable

>100 °C

>100 °C

Flammability



according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 5 of 9

Solid: not applicable
Gas: not applicable

Explosive properties

Not explosive

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

>300 °C

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not relevant

Vapour pressure: not determined

Density (at 20 °C): 1,03 g/cm³ K-QP1012E

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

Not determined

Niscosity / kinematic:

Not determined

Flow time:

Not determined

Vapour density:

not determined

Evaporation rate:

not determined

not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information



according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 6 of 9

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity (LD50): 14760 mg/kg (rat)
Acute dermal toxicity (LD50): 133680 mg/kg (rabbit)

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
69011-36-5	i-C13-Fatty alcohol poly	i-C13-Fatty alcohol polyglycol ethers 5-12 EO						
	oral	ATE mg/kg	500					
7173-51-5	didecyldimethylammonium chloride							
	oral	LD50 mg/kg	329	rat		OECD Test Guideline 401		
	dermal	LD50 mg/kg	>2000	rat				
68391-01-5	C12-C18-Dimethylbenzyl ammonium chloride							
	oral	ATE mg/kg	500					

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish (LC50): 38,6 mg/l (Oncorhynchus mykiss (rainbow trout))

Toxicity to fish (NOEC): 1,28 mg/l (Brachydanio rerio (zebra fish))

LC50/96h/bluegill sunfish = 20,6 mg/l

EC50/48h/daphnia = 2,00 mg/l

Toxicity to daphnia (NOEC): 0,284 mg/l (Daphnia magna (Water flea))

EC50/96h/green algae = 1,50 mg/l Toxicity to bacteria (EC50): 375 mg/l EC10/18h/bacteria = 5,20 mg/l

Toxicity to soil dwelling organisms.: 161400 mg/kg (Eisenia fetida (earthworms))



according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7173-51-5	didecyldimethylammonium chloride						
	Acute fish toxicity	LC50	0,5 mg/l		Brachydanio rerio (zebra-fish)		
	Acute crustacea toxicity	EC50 mg/l	0,03	48 h	Daphnia		

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 340 mg O2/g.

Cationic compounds are biodegradable only in high dilution. They are adequate diluted in sewage and become inactive through contact with other waste-water substances. Therefore solutions could be disposed of in the sewerage system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (Potassium silicate, solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8





according to Regulation (EC) No 1907/2006

	E	Blutoxol	
Revision date: 05.03.2020	Produc	ct code: j5503_sd	Page 8 of 9
Classification code:	C5		

Classification code: C5
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Marine transport (IMDG)

14.1. UN number: UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (Potassium silicate, solution)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 III

 Hazard label:
 8



Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: alkalis

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: quaternary ammonium compounds

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances



according to Regulation (EC) No 1907/2006

Blutoxol

Revision date: 05.03.2020 Product code: j5503_sd Page 9 of 9

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

- Classification for mixtares and asset statutation method asset and to resputation (10) from 1212200 [02]				
Classification	Classification procedure			
Skin Corr. 1B; H314	Calculation method			
Aquatic Acute 1; H400	Calculation method			
Aquatic Chronic 3; H412	Calculation method			

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)