

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Powerfix

UFI: XS20-C0UR-Q00K-0DJG

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG
Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-0 Telefax: +49 8134 6466
e-mail: info@kiehl-group.com
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Phosphoric acid / Hydrochloric acid / Trideceth 5-12

Signal word: Danger

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 2 of 9

Pictograms:



Hazard statements

H318 Causes serious eye damage.
H315 Causes skin irritation.

Precautionary statements

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, inorganic acids, organic acids, corrosion inhibitors, dyes, fragrances (Amylcinnamal, Citronellol, Methylpropanal)

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-38-2	Phosphoric acid			15 - < 20 %
	231-633-2	015-011-00-6	02-2119752438-31	
	Skin Corr. 1B; H314			
7647-01-0	hydrochloric acid ... %			1 - < 5 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO			1 - < 5 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H318			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 3 of 9

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.
Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Flush with plenty of water.
Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.
Do not store together with alkalis

Further information on storage conditions

Keep container tightly closed.
Never return unused material to storage receptacle.
Keep in a well-ventilated place.

7.3. Specific end use(s)

This information is not available.

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Protective and hygiene measures

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	red
Odour:	pleasant

pH-Value (at 20 °C):

Test method
approx. 0,5 K-QP1012C

Changes in the physical state

Melting point:	<0 °C
Initial boiling point and boiling range:	>78 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	>60 °C

Flammability

Solid:	not applicable
Gas:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 5 of 9

Explosive properties

Not explosive

Lower explosion limits:

not applicable

Upper explosion limits:

not applicable

Ignition temperature:

>200 °C

Auto-ignition temperature

Solid:

not applicable

Gas:

not applicable

Decomposition temperature:

not determined

Oxidizing properties

Not relevant

Vapour pressure:

not determined

Density (at 20 °C):

1,13 g/cm³ K-QP1012E

Water solubility:

completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient:

not determined

Viscosity / dynamic:

not determined

Viscosity / kinematic:

not determined

Flow time:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

9.2. Other information

Solid content:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

alkalis

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to European directive on classification of hazardous preparations 1999/45/EC.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
7647-01-0	hydrochloric acid ... %				
	Acute fish toxicity	LC50 862 mg/l	96 h	Leuciscus idus	

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 150 mg O₂/g.

SECTION 13: Disposal considerations

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 7 of 9

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid-Hydrochloric acid (solution))

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

Marine transport (IMDG)

14.1. UN number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric-acid / Hydrochloric-acid (solution))

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Special Provisions:

223, 274

Limited quantity:

5 L

Excepted quantity:

E1

EmS:

F-A, S-B

Segregation group:

Acids

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 8 of 9

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Powerfix

Revision date: 16.03.2020

Product code: j4005_sd

Page 9 of 9

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)