

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Carp-Deta

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG
Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-0 Telefax: +49 8134 6466
e-mail: info@kiehl-group.com
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Not required

2.2. Label elements**Additional advice on labelling**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

according to 648/2004/CE: anionic surfactants <5%, water-soluble solvents, fragrances

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 2 of 8

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	Isopropyl alcohol			5 - < 10 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
107-98-2	1-Methoxy-2-propanol			5 - < 10 %
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226 H336			
112-34-5	2-(2-Butoxyethoxy)ethanol			1 - < 5 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
122-99-6	2-Phenoxyethanol			1 - < 5 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Irrit. 2; H302 H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 3 of 8

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation.

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep away from heat and sources of ignition.

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Protective and hygiene measures

General industrial hygiene practice. No special protective equipment required.

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 4 of 8

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	pleasant

pH-Value (at 20 °C):

Test method
approx. 9,5 K-QP1012C

Changes in the physical state

Melting point:	<0 °C
Initial boiling point and boiling range:	>78 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	40 °C
Sustaining combustion:	Not sustaining combustion

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

Not explosive

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	>200 °C

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not relevant

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	1,00 g/cm ³	K-QP1012E
---------------------	------------------------	-----------

Water solubility: (at 20 °C)	completely miscible
---------------------------------	---------------------

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Viscosity / dynamic:	not determined
----------------------	----------------

Viscosity / kinematic:	not determined
------------------------	----------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 5 of 8

Flow time: not determined
Vapour density: not determined
Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
122-99-6	2-Phenoxyethanol				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Health injuries are not known or expected under normal use.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 6 of 8

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

Further informationChemical Oxygen Demand (COD) 1950 mg O₂/g.**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:** not applicable**14.2. UN proper shipping name:** not applicable**14.3. Transport hazard class(es):** not applicable**14.4. Packing group:** not applicable**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 7 of 8

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-Butoxyethoxy)ethanol

Additional information

The product does not need to be labelled in accordance with EC directives or respective national laws.

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Carp-Deta

Revision date: 19.03.2020

Product code: j6004_sd

Page 8 of 8

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)