

according to UK REACH Regulation

## **ARENAS**-excellent

Revision date: 29.03.2021

Product code: j6523\_sd

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier ARENAS-excellent UFI K270-P0CM-100A-2FPQ 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: JOHANNES KIEHL KG Street: Robert-Bosch-Str. 9 Place: D-85235 Odelzhausen +49 8134 9305-0 Telefax: +49 8134 6466 Telephone: e-mail: info@kiehl-group.com Contact person: Laboratory department www.kiehl-group.com Internet: Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169 **KIEHL Austria GmbH** Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5, rue de Londres; F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 **KIEHL Schweiz AG** St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41

# 1.4. Emergency telephone

KIEHL Middle East LLC

+49/89/19240 (germanophone and anglophone)

Abu Dhabi, U.A.E.

Tel. +971 2 550 33 96

#### number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Hazard categories: Skin corrosion/irritation: Skin Corr. 1B Hazard Statements: Causes severe skin burns and eye damage.

A8-LIU 48/49 - KIZAD

#### 2.2. Label elements

#### **GB CLP Regulation**

Hazard components for labelling Potassium Hydroxide

Signal word: Danger



according to UK REACH Regulation

## ARENAS-excellent

Revision date: 29.03.2021 Product code: j6523\_sd

Page 2 of 9





#### Hazard statements

H314

Causes severe skin burns and eye damage.

#### **Precautionary statements**

ouddional y olatomon	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

None known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

according to 648/2004/CE: nonionic surfactants <5%, phosphonates <5%, alkalis, inorganic salts, additives

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
584-08-7	Potassium carbonate			15 - < 20 %
	209-529-3		01-2119532646-36	
	Skin Irrit. 2, Eye Irrit. 2, STO			
1310-58-3	Potassium hydroxide	10 - < 15 %		
	215-181-3	019-002-00-8	01-2119487136-33	
	Acute Tox. 4, Skin Corr. 1A;			
1312-76-1	Potassium silicate			1 - < 5 %
	215-199-1		01-2119456888-17	
	Met. Corr. 1, Skin Corr. 1B;	H290 H314		

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

Avoid contact with skin and eyes.

### After inhalation

not hazardous by inhalation

#### After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.



## according to UK REACH Regulation

## **ARENAS**-excellent

Revision date: 29.03.2021

Product code: j6523\_sd

Page 3 of 9

Consult a physician.

#### **<u>4.2. Most important symptoms and effects, both acute and delayed</u> This information is not available.**

#### **4.3. Indication of any immediate medical attention and special treatment needed** Show this safety data sheet to the doctor in attendance.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## Suitable extinguishing media

Any extinguishing means and measures are acceptable.

## 5.2. Special hazards arising from the substance or mixture

This information is not available.

#### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not flush into surface water.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Wipe up with absorbent material (e.g. cloth, fleece). Flush with plenty of water. Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store near acids.

#### Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)



according to UK REACH Regulation

## **ARENAS**-excellent

Revision date: 29.03.2021

Product code: j6523\_sd

Page 4 of 9

This information is not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

#### 8.2. Exposure controls

Appropriate engineering controls

Not required.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166

## Hand protection

## Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

#### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

Not required

#### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid light yellow		
Odour:	weakly		
			Test method
Changes in the physical state			
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point and boiling range:		>98 °C	
Sublimation point:		not applicable	
Softening point:		not applicable	
Pour point:		not applicable	
Flash point:		not applicable	
Flammability			
Solid/liquid:		not applicable	
Gas:		not applicable	
Explosive properties Not explosive			
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	



## according to UK REACH Regulation

ADENIAS executions

	ARENAS-excellent	
Revision date: 29.03.2021	Product code: j6523_sd	Page 5 of 9
Auto-ignition temperature:	not applicable	
Self-ignition temperature Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	> 13,5	K-QP1012C
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,37 g/cm <sup>3</sup>	K-QP1012E
Relative vapour density:	not determined	
.2. Other information		
Information with regard to physical hazard classe	S	
Oxidizing properties Not relevant		
Other safety characteristics		
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		

## 10.1. Reactivity

This information is not available.

## 10.2. Chemical stability

This information is not available.

## 10.3. Possibility of hazardous reactions

This information is not available.

## 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

#### 10.5. Incompatible materials

Acids

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in GB CLP Regulation



according to UK REACH Regulation

## **ARENAS-excellent**

Revision date: 29.03.2021

Product code: j6523\_sd

Page 6 of 9

### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
1310-58-3	Potassium hydroxide					
	oral	LD50 mg/kg	273	rat		

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

#### Further information

Health injuries are not known or expected under normal use.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data is available on the product itself.

## 12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

#### 12.3. Bioaccumulative potential

This information is not available.

## 12.4. Mobility in soil

This information is not available.

#### 12.5. Results of PBT and vPvB assessment

This information is not available.

## 12.6. Endocrine disrupting properties

This information is not available.

## 12.7. Other adverse effects

This information is not available.

### **Further information**

The organic ingredients can be biodegraded in a sewage plant after neutralization. Chemical Oxygen Demand (COD) 28 mg O2/g

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods



according to UK REACH Regulation

## **ARENAS**-excellent

Revision date: 29.03.2021

Product code: j6523\_sd

Page 7 of 9

## **Disposal recommendations**

Do not dispose of waste into sewer.

## List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### **Contaminated packaging**

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1814
14.2. UN proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1814
14.2. UN proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B
Segregation group:	alkalis
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user Not required	
14.7. Maritime transport in bulk according to	
not applicable	



according to UK REACH Regulation

## **ARENAS-excellent**

Revision date: 29.03.2021

Product code: j6523\_sd

Page 8 of 9

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

#### National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2 / 3 / 14

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu



according to UK REACH Regulation

## **ARENAS-excellent**

Revision date: 29.03.2021

Product code: j6523\_sd

Page 9 of 9

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Skin Corr. 1B; H314	Calculation method	
Relevant H and EUH	I statements (number and full text)	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)