

Impranet

Solvent-free stone impregnator

- Penetrates deep into the pores, fast-drying and tread-proof afterwards
- ▲ Long-lasting protection for the treated stone surfaces
- A Reduces salt efflorescences, moss and algae growth, mould formation and damage caused by weather and frost
- ▲ Does not affect the steam permeability of the stone
- Alkali and UV-resistant
- Hydrophobic and oleophobic effect
- ▲ Ideal for indoor use thanks to the minimal odour
- ▲ Fully hardened after approx. 5 days



Area of application

For the impregnation of natural stone, artificial stone and ceramic floors with porous or absorbent surfaces, e.g. marble and granite. Do not use on porcelain tiles. Can be used indoors and outdoors.

Application

Please test on a small inconspicuous spot before first application. Check for colour changes and colour depth. The floor and product temperature must be between 5 °C and 25 °C. Shake well before use.

Preparation of the surface:

Surfaces must be free from wax and grease. Only use product on thoroughly cleaned stone surfaces.

Impregnation:

Apply the undiluted product with a mop onto the surface until saturated. Excess product that has not penetrated into the floor after 15 minutes must be thoroughly and completely removed from the surface using a squeegee. Remove product residue by wiping with a dry mop. Product residue that remains on the surface forms a sticky residue once hardened. It can be removed up to 12 hours after application by stripping. Consumption: 5.0–500.0 ml/m². Consumption depends on the absorbency of the stone surface.



Note

Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product. Not a consumer product according to 1999/44/EC Art. 1! For professional use only!

Ingredients

Emulsifiers, impregnation agents. pH value (concentrate): approx. 5

Art. No. Packaging unit (PU) i210515 5 L canister Numbers of PU per pallet

60