

according to Regulation (EC) No 1907/2006

Revision date: 26.11.2019

Product code: j4038\_sd

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Calinex UFI 7140-Y06Q-A000-WH9F 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: JOHANNES KIEHL KG Street: Robert-Bosch-Str. 9 Place: D-85235 Odelzhausen Telephone: +49 8134 9305-0 Telefax: +49 8134 6466 e-mail: info@kiehl-group.com Internet: www.kiehl-group.com **Responsible Department:** Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169 Tel. +43 (0) 1 / 604 99 93 **KIEHL Austria GmbH** A-1230 Wien Perfektastr. 57; **KIEHL FRANCE S.A.R.L.** F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 5. rue de Londres: I-16036 Recco (GE) KIEHL Italia s.r.l. Via San Rocco, 101; Tel. +39 / 0185 730 008 St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 **KIEHL Schweiz AG KIEHL Hungary Kft.** Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 A8-LIU 48/49 - KIZAD Tel. +971 2 550 33 96 **KIEHL Middle East LLC** Abu Dhabi, U.A.E.

#### 1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1B Hazard Statements: Causes severe skin burns and eye damage.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling Phosphoric Acid

Signal word:

**Pictograms:** 





#### according to Regulation (EC) No 1907/2006

# Calinex

Revision date: 26.11.2019Product code: j4038\_sdPage 2 of 9

# Hazard statements

H314

Causes severe skin burns and eye damage.

#### Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
	present and easy to do. Continue mising.
P308+P313	IF exposed or concerned: Get medical advice/attention.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, inorganic acids, water-soluble solvents, corrosion inhibitors

#### Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification	-		
7664-38-2	Phosphoric acid			
	231-633-2	015-011-00-6	02-2119752438-31	
	Skin Corr. 1B; H314	-		
67-63-0	Isopropyl alcohol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT	SE 3; H225 H319 H336		
111905-53-4	Fatty alcohols, alcoxylated			1 - < 5 %
			02-2119552554-37	
	Acute Tox. 4, Eye Irrit. 2, Aquat	ic Chronic 3; H302 H319 H412		
112-34-5	2-(2-Butoxyethoxy)ethanol			1 - < 5 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Avoid contact with skin and eyes.

#### After inhalation

not hazardous by inhalation

#### After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

# If eye irritation persists, consult a specialist.

# After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.



according to Regulation (EC) No 1907/2006

#### Calinex

Revision date: 26.11.2019

Product code: j4038\_sd

Page 3 of 9

Consult a physician.

#### **4.2. Most important symptoms and effects, both acute and delayed** This information is not available.

#### **4.3. Indication of any immediate medical attention and special treatment needed** Show this safety data sheet to the doctor in attendance.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

## 5.2. Special hazards arising from the substance or mixture

This information is not available.

#### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not flush into surface water.

#### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Flush with plenty of water. Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

## Advice on protection against fire and explosion

No special protective measures against fire required.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

# Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store together with alkalis

## Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

# 7.3. Specific end use(s)

This information is not available.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Calinex

Revision date: 26.11.2019

Product code: j4038\_sd

Page 4 of 9

# Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

## 8.2. Exposure controls

## Appropriate engineering controls

Not required.

# Protective and hygiene measures

General industrial hygiene practice.

# Eye/face protection

Safety glasses with side-shields.

#### Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

#### Skin protection

impervious clothing

## **Respiratory protection**

Not required

## Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

<u>.</u>	I. Information on pasic physical and chen	incal properties		
	Physical state:	liquid		
	Colour:	colourless		
	Odour:	characteristic		
				Test method
	pH-Value (at 20 °C):		< 0,5	K-QP1012C
	Changes in the physical state			
	Melting point:		<0 °C	
	Initial boiling point and boiling range:		>78 °C	
	Sublimation point:	not	t applicable	
	Softening point:	not	t applicable	
	Pour point:	not	t applicable	
	Flash point:		>60 °C	
	Flammability			
	Solid:	not	t applicable	
	Gas:	not	t applicable	



according to Regulation (EC) No 1907/2006

	Calinex	
Revision date: 26.11.2019	Product code: j4038_sd	Page 5 of 9
Explosive properties Not explosive		
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Ignition temperature:	>200 °C	
Auto-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not relevant		
Vapour pressure:	not determined	
Density (at 20 °C):	1,19 g/cm³	K-QP1012E
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

This information is not available.

# 10.2. Chemical stability

This information is not available.

# 10.3. Possibility of hazardous reactions

This information is not available.

#### 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

#### 10.5. Incompatible materials

alkalis

#### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

Calinex

Revision date: 26.11.2019

Product code: j4038\_sd

Page 6 of 9

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111905-53-4	Fatty alcohols, alcoxylated				
	oral	ATE 500 mg/kg			

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

The product causes burns of eyes, skin and mucous membranes. Health injuries are not known or expected under normal use.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data is available on the product itself.

# 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

#### 12.3. Bioaccumulative potential

This information is not available.

## 12.4. Mobility in soil

This information is not available.

#### 12.5. Results of PBT and vPvB assessment

This information is not available.

# 12.6. Other adverse effects

This information is not available.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - used product



according to Regulation (EC) No 1907/2006

# Calinex

Revision date: 26.11.2019

Product code: j4038\_sd

Page 7 of 9

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

# Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

## **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	III
Hazard label:	8
	R R R R R R R R R R R R R R R R R R R
Classification code:	C1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1805
14.2. UN proper shipping name:	PHOSPHORIC ACID SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	III
Hazard label:	8
	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user Not required	
14.7. Transport in bulk according to Annex I not applicable	l of Marpol and the IBC Code
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regul	ations/legislation specific for the su
EU regulatory information	

# ubstance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

# Entry 3, Entry 55

# National regulatory information



according to Regulation (EC) No 1907/2006

# Calinex

Revision date: 26.11.2019

Product code: j4038 sd

Page 8 of 9

Water hazard class (D):

2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s):

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure		
Skin Corr. 1B; H314	Calculation method		
Belovant H and EUH statements (number and full text)			

# Relevant H and EUH statements (number and full text)H225Highly flammable liquid and vapour.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

	Calinex	
Revision date: 26.11.2019	Product code: j4038_sd	Page 9 of 9
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)