

according to Regulation (EC) No 1907/2006

Revision date: 11.03.2020

Product code: j2103_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Lithodur UFI XD10-80TD-T00N-EX7F 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: JOHANNES KIEHL KG Street: Robert-Bosch-Str. 9 Place: D-85235 Odelzhausen Telephone: +49 8134 9305-0 Telefax: +49 8134 6466 e-mail: info@kiehl-group.com Internet: www.kiehl-group.com Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169 Tel. +43 (0) 1 / 604 99 93 **KIEHL Austria GmbH** A-1230 Wien Perfektastr. 57; Tél. +33 (0) 3.88.59.52.25 F-67670 Mommenheim **KIEHL FRANCE S.A.R.L.** 5. rue de Londres: I-16036 Recco (GE) KIEHL Italia s.r.l. Via San Rocco, 101; Tel. +39 / 0185 730 008 CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 **KIEHL Schweiz AG** St. Dionys-Str. 33; **KIEHL Hungary Kft.** Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 A8-LIU 48/49 - KIZAD **KIEHL Middle East LLC** Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1B Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Fluorosilicic acid / PEG-2 Oleamine

Signal word: Danger

Revision No: 1,09



according to Regulation (EC) No 1907/2006

Lith	od	ur
	u	u

Revision date: 11.03.2020 Product code: j2103 sd Page 2 of 9 Pictograms: Hazard statements H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

waxes, emulsifiers, hexafluorosilicates, additives

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		·		
16961-83-4	Fluorosilicic acid %			10 - < 15 %	
	241-034-8	009-011-00-5	01-2119488906-19		
	Skin Corr. 1B; H314				
25307-17-9	Oleylamine, ethoxylated			1 - < 5 %	
	246-807-3		01-2119510876-35		
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H302 H314 H400 H410				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After indestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.



according to Regulation (EC) No 1907/2006

Lithodur

Revision date: 11.03.2020

Product code: j2103_sd

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Flush with plenty of water. Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Lithodur

Revision date: 11.03.2020

Product code: j2103_sd

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
16984-48-8	Fluoride (inorganic as F)	-	2.5		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	off-white-brown		
Odour:	mild		
			Test method
pH-Value (at 20 °C):		approx. 2,0	K-QP1012C
Changes in the physical state			
Melting point:		<0 °C	
Initial boiling point and boiling range:		>98 °C	
Sublimation point:		not applicable	
Softening point:		not applicable	
Pour point:		not applicable	
Flash point:		>100 °C	
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Explosive properties Not explosive			
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Ignition temperature:		>300 °C	
Auto-ignition temperature			



according to Regulation (EC) No 1907/2006

Revision date: 11.03.2020	Product code: j2103_sd	Page 5 of
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not relevant		
Vapour pressure:	not determined	
Density (at 20 °C):	1,11 g/cm³	K-QP1012E
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
.2. Other information		
Solid content:	not determined	

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 $^\circ \text{C}.$ Protect from frost.

10.5. Incompatible materials

alkalis

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Lithodur

Revision date: 11.03.2020

Product code: j2103_sd

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
25307-17-9	Oleylamine, ethoxylated					
	oral	LD50 mg/kg	1260	Rat		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to European directive on classification of hazardous preparations 1999/45/EC.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
25307-17-9	Oleylamine, ethoxylated				-	-	-
	Acute algae toxicity	ErC50 mg/l	0,0867		Pseudokirchneriella subcapitata (green algae)		
	Acute crustacea toxicity	EC50 mg/l	0,043		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

This information is not available.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

Further information

The organic ingredients can be biodegraded in a sewage plant after neutralization. Chemical Oxygen Demand (COD) 300 mg O2/g.



according to Regulation (EC) No 1907/2006

Lithodur

Revision date: 11.03.2020

Product code: j2103_sd

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, 070699 soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Return cleaned containers to the company for recycling.

SECTION 14: Transport information

Land transport (ADR/RID)

UN 1778
FLUOROSILICIC ACID
8
II
8
No. of the second secon
C1
1 L
E2
2
80
E
UN 1778
FLUOROSILICIC ACID
8
II
8
8
-
1 L
E2
F-A, S-B
Acids
Acids



according to Regulation (EC) No 1907/2006

Lithodur

Revision date: 11.03.2020

Product code: j2103 sd

Page 8 of 9

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: Fluorosilicic acid ... %

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1 / 3

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide



according to Regulation (EC) No 1907/2006

Lithodur

Revision date: 11.03.2020

Product code: j2103_sd

Page 9 of 9

MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure		
Skin Corr. 1B; H314	Calculation method		
Aquatic Chronic 3; H412	Calculation method		

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)