

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GlasKing

UFI: D520-U00Y-K004-C0G1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG
Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-0 Telefax: +49 8134 6466
e-mail: info@kiehl-group.com
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 2 of 8

Precautionary statements

P280 Wear eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants <5%, water-soluble solvents, dyes, fragrances

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	Isopropyl alcohol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
68439-57-6	Olefin sulfonate-Na-salt			1 - < 5 %
	270-407-8		01-2119513401-57	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
68515-73-1	Alkylpolyglycosid			1 - < 5 %
			01-2119488530-36	
	Eye Dam. 1; H318			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Not required

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautions required.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 4 of 8

Protective and hygiene measures

General industrial hygiene practice. No special protective equipment required.

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	blue
Odour:	pleasant

Test method

pH-Value (at 20 °C):	approx. 11,0	K-QP1012C
----------------------	--------------	-----------

Changes in the physical state

Melting point:	<0 °C
Initial boiling point and boiling range:	>98 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	>60 °C

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

Not explosive

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not relevant

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	1,02 g/cm³	K-QP1012E
---------------------	------------	-----------

Water solubility: (at 20 °C)	completely miscible
---------------------------------	---------------------

Solubility in other solvents

not determined

Partition coefficient:	not determined
Viscosity / dynamic:	not determined

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 5 of 8

Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

9.2. Other information

Solid content:	not determined
----------------	----------------

The product does not maintain the combustion.

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 6 of 8

No data is available on the product itself.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

This information is not available.

12.6. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information**Land transport (ADR/RID)**

<u>14.1. UN number:</u>	not applicable
<u>14.2. UN proper shipping name:</u>	not applicable
<u>14.3. Transport hazard class(es):</u>	not applicable
<u>14.4. Packing group:</u>	not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 7 of 8

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GlasKing

Revision date: 16.03.2020

Product code: j2526_sd

Page 8 of 8

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)